

i

PROCEDURES FOR PRIOR AUTHORIZATION

Completed forms can be faxed in confidence to 1-514-286-8480 for residents of Quebec and 1-844-661-2640 for residents of all other provinces

Upon receipt, this request will be confidentially reviewed according to payment criteria developed by Medavie Blue Cross in consultation with independent health care consultants. In some cases, additional clinical or diagnostic information may be required to process your claim.

For Quebec residents, the criteria for prior authorization are adjusted to meet the requirements of the Régie de l'assurance maladie du Québec (RAMQ).

- Prior Authorization is a pre-approval process to determine if certain products will be reimbursed under a member's benefit plan.
- Please complete entire form. Incomplete forms cannot be processed.
- For certain medications, approval for reimbursement may be conditional on confirmation of enrollment in the patient support program.
- Prior Authorization may be limited to a specified period or quantity of medication.
 Some Medavie Blue Cross plans may require you to purchase a drug requiring prior authorization from a preferred pharmacy*. If your prior authorization request is approved, a case manager may contact you, your physician, or Patient Assistance Program to provide information about the program and to arrange to have your prescription transferred to the preferred pharmacy.
 - *Not applicable in Quebec.
- In cases where a request for Prior Authorization is declined, Medavie Blue Cross is denying payment for a product and is not challenging the medical opinion of the physician nor rendering a medical opinion.
- Any costs associated with the completion of this form or obtainment of additional medical information are the responsibility of the member.
- Renewal of the Prior Authorization will be considered by Medavie Blue Cross upon request from the patient/member. The renewal request should include information from the physician supporting continued use of the medication.
- Prior Authorization coverage is contingent on your continued status as a Medavie Blue Cross cardholder or beneficiary.
- If this is a request under the *Mesure du patient d'exception* for a Quebec resident, please include a completed *Patient d'exception* form that can be found here: www.medaviebc.ca/en/resources, in addition to this document.
- If you would like more information about our Patient First Network, including how your Patient Support Program can become integrated with our new enhanced Prior Authorization processes, please send an e-mail to: patientfirstnetwork@medavie.bluecross.ca.

ee of





1 PHARMACY INFORMATION	
This section is to be completed by the Professional coordinating the re Pharmacy)	quest on behalf of the member (PSP, Cancer Care Navigator or
Decision communication preference:	Telephone, Number:
Name of Program/Pharmacy:	
Contact Name:	Contact E-mail:
2 PATIENT INFORMATION	
Part A	
Patient Name:	Date of Birth:
E-mail address of patient (or of legal guardian if patient is underage):	(mm/dd/yyyy)
Address:	Suite: City:
Province: Postal Code:	Telephone Number:
Policy Number: ID Number:	
Do you have valid Medicare coverage in your current province of residence?	☐ Yes ☐ No
Have you already purchased this prescription?	☐ Yes ☐ No
Please attach your paid-in-full receipt with this request form. If you have alre your receipt to Medavie Blue Cross, please indicate the date of the oldest receipt to Medavie Blue Cross, please indicate the date of the oldest receipt to Medavie Blue Cross, please indicate the date of the oldest receipt to Medavie Blue Cross, please indicate the date of the oldest receipt to Medavie Blue Cross, please indicate the date of the oldest receipt to Medavie Blue Cross, please indicate the date of the oldest receipt to Medavie Blue Cross, please indicate the date of the oldest receipt to Medavie Blue Cross, please indicate the date of the oldest receipt to Medavie Blue Cross, please indicate the date of the oldest receipt to Medavie Blue Cross, please indicate the date of the oldest receipt to Medavie Blue Cross, please indicate the date of the oldest receipt to Medavie Blue Cross, please indicate the date of the oldest receipt to Medavie Blue Cross, please indicate the date of the oldest receipt to Medavie Blue Cross, please indicate the date of the oldest receipt to Medavie Blue Cross, please indicate the date of the oldest receipt to the oldest receipt to the oldest receipt to the oldest receipt the date of the oldest receipt to the oldest	
Part B – Coordination of Benefits	
Do you or any dependant have coverage for this drug under any other plan	or program?
Policy Number:	Carrier:
(If applicable, please attach Explanation of Benefits from prior carrier with complete for	m)
If the patient is a dependent, provide the birth day and month of the cardhold	ler for the other carrier:(mm/dd)
Public-Funded Program – Have you applied for coverage through a public-fu	
If No, please indicate why:	
Part C – Authorization	
	d and used by Medavie Blue Cross to administer the terms of my policy or the ducts and services that I am eligible for as a member of a policy, and other nent at www.medaviebc.ca.
released to following third parties as required for the purposes of administe	ch as claim, health and/or financial related data may be collected from and/or tring and managing the benefits outlined in the policy of which I am an eligible surance companies, regulatory authorities and investigative bodies, services nt.
Where allowed by law, my information may be shared with Medavie Blue collected. If I am a resident of Quebec, this includes transferring or disciproviders outside of that province.	Cross employees or service providers in jurisdictions other than where it was osing my personal information to Medavie Blue Cross employees or service
I understand that my consent is only valid for the time it is needed to achieve my consent at any time. However, in some instances doing so may preven may be useful to me and/or my dependents. This consent complies with federal consent	the purposes outlined herein, unless I withdraw it. I understand I may withdraw t Medavie Blue Cross from providing me with certain products or services that eral and provincial privacy laws.
For more details about our information practices, including how your persor you have concerns or questions, please see our Medavie Blue Cross Privacy	nal information is protected, how to access or correct personal information, or if y Statement available at www.medaviebc.ca or call 1-800-667-4511.
Signature of Patient:	Date:

Residents of All Other Provinces
PO BOX 220, MONCTON (NB) E1C 8L3
TEL.: 1-800-667-4511 FAX: 1-844-661-2640

Residents of Quebec PO BOX 3300, STATION B, MONTREAL (QC) H3B 4Y5 TEL.: 1-888-588-1212 FAX: 1-514-286-8480



3 SPECIALTY DRUG	3 INFORM	ATION				
Name of patient:					Date of Birth :	
Policy Number:				ID Number:		
3A Patient Support Policy Patient enrolled in the Indicate the name of the PSP phone #:	Patient Sur Patient Su	oport Program? pport Program:				
Product Name						
Floduct Name	-	DIIN	Strength	Dosage	Diagnosis	
Patient weight: Expected duration of th Was treatment initiated	erapy: in hospital	?		Date of diagnosis: —	(mm/dd/yyyy)	
	•			the treatment:		
				ewals, please complete		
3B Initial Request						
					raindication. The information for the following ontraindication if applicable.	
 Crohn's Disease: cor Psoriatic Arthritis: DI Plaque Psoriasis: me Ulcerative Colitis: co 	MARDs, me ethotrexate,	thotrexate, sulfasala cyclosporine, syste	zine, NSAIDs mic agents	- Ankylosing	I Arthritis: DMARDs, methotrexate Spondylitis: NSAIDs opathic Arthritis: methotrexate	
Category	Produ	uct Name	Dosage	Duration of Treatment	Response to Treatment or Contraindication	
Is the drug being pre *NOTE: Do not provide g			Health Canad	da product monograp	oh? ☐ Yes ☐ No	
Approved indications f	rom Health	Canada:				
1. Rheumatoid Arth	ritis					
Moderate to severel	ly active dis	sease: 🗌 Yes 🗎	No	Positive rheumatoid fa	actor 🗌 Yes 🔲 No	
Number of articulati	ons with ac	tive synovitis: ——		Radiologically measur	red erosions:	
Confirm all that are	applicable	(prior to treatment):				
☐ An elevated sedi	imentation	rate. Specify:	mm/h	ı		
☐ An elevated C-re	eactive prot	ein level. Specify: _	mg/	/L		
☐ Score on the He	alth Assess	ment Questionnair	e (HAQ):			
CDAI Score:						

3	SPECIALTY DRUG INFORMATION
	ame of patient: Date of Birth :
Po	olicy Number: ID Number:
3B	Initial Request (cont'd)
2.	Ankylosing Spondylitis
	☐ Peripheral Ankylosing Spondylitis ☐ Axial Ankylosing Spondylitis
	BASDAI Score (date) : ()
	Score on the Health Assessment Questionnaire (HAQ):
	Does the patient exhibit uveitis? ☐ Yes ☐ No
3.	Psoriatic Arthritis
	☐ Rheumatoid type ☐ Type other than rheumatoid
	☐ Peripheral Psoriatic Arthritis ☐ Axial Psoriatic Arthritis
	Number of articulations with active synovitis: Radiologically measured erosions: _ Yes _ No
	Confirm all that are applicable (prior to treatment):
	☐ An elevated sedimentation rate. Specify: mm/h
	An elevated C-reactive protein level. Specify: mg/L
	Score on the Health Assessment Questionnaire (HAQ):
	□ BASDAI Score (date) : ()
	(mm/dd/yyyy)
4.	Plaque Psoriasis
	☐ Induction therapy ☐ Maintenance therapy Therapy start date: (mm/dd/yyyy)
	Date of initial evaluation (pre-treatment): Date of most recent evaluation:
	(mm/dd/yyyy) (mm/dd/yyyy)
	PASI Score at initial evaluation : Most recent PASI Score (current):
	DLQI Score at initial evaluation: Most recent DLQI Score (current):
	Percentage of body surface area affected (pre-treatment): Percentage of body surface area affected (current): %
	Presence of large plaques (location):
	Failure to phototherapy: Yes No Number of sessions: Duration of treatment (in months):
	Indicate why the phototherapy treatment had to be stopped:
5.	Crohn's Disease Moderate to severe active Crohn's disease : ☐ Yes ☐ No Fistulizing Crohn's Disease: ☐ Yes ☐ No
	For Crohn disease in adults: HBI Score: CDAI Score :
	For pediatric Crohn disease:
	PCDAI Score:

3	SPECIALTY DRUG INFORMATION				
	me of patient: licy Number:				
В	•	ID Nullibel			
	. ,				
6.	Ulcerative Colitis	_			
	Moderate to severe ulcerative colitis : Yes Mayo Score:	∐ No			
	Endoscopic subscore (Mayo Score):				
	Partial Mayo Score:				
Please provide information to support starting advanced therapy without adequate trial of conventional therapy:					
7.	Juvenile Idiopathic Arthritis Confirm whether the disease is of: ☐ the poly	varticular type, or □ the systemic type			
	Number of articulations with active synovitis: Following prior treatments, the disease is: Active Inactive				
	Confirm all that are applicable (prior to treatme An elevated C-reactive protein level. Specif	•	dimentation rate. Specify: mm/h		
	Renewal Request	he disease to evaluate the response to tre	atment		
Da	te of initial evaluation (pre-treatment):	Date of most recei	nt evaluation: (mm/dd/yyyy)		
1.	Rheumatoid Arthritis				
	Number of articulations with active synovitis at initial evaluation (pre-treatment): _	Number of articular synovitis at most	ations with active recent evaluation:		
	ACR Score:				
	Other items, if initially measured	Initial result	Most recent result		
_	C-reactive protein value (mg/L):				
	Sedimentation rate value (mm/h):				
	Score in the Health Assessment Questionnaire (HAQ):				
	CDAI score:				
	Back to work, if applicable (date): Yes	No ()			

_	SPECIALTY DRUG INFORMATION		
	me of patient:		Date of Birth :
0	licy Number:	ID Number:	
	Renewal Request (cont'd)		
	Ankylosing Spondylitis		
	Item initially measured	Initial result	Most recent result
	BASDAI Score :		
	BASFI Score:		
	Score in the Health Assessment Questionnaire (HAQ):		
	Back to work, if applicable (date):	No ()	
		(пппишуууу)	
	Psoriatic Arthritis		
	Number of articulations with active synovitis at initial evaluation (pre-treatment): -	Number of articulation synovitis at most received	ns with active ent evaluation:
	ACR Score:		
ĺ	Other items, if initially measured	Initial result	Most recent result
	C-reactive protein value (mg/L):		
	Sedimentation rate value (mm/h):		
	Score in the Health Assessment Questionnaire (HAQ):		
Ī	BASDAI Score :		
L	27.627.11.000.10.		
	Back to work, if applicable (date):	No ()	
		No ()	
	Back to work, if applicable (date): Yes	(mm/dd/yyyy)	Score (current):
	Back to work, if applicable (date): Yes	(mm/dd/yyyy) : Most recent PASI	Score (current): Score (current):
	Plaque Psoriasis PASI Score at initial evaluation (pre-treatment) DLQI Score at initial evaluation (pre-treatment) Percentage of body surface area affected (pre-treatment):	(mm/dd/yyyy) D: Most recent PASI Most recent DLQI Percentage of body surfation (current):	Score (current):
	Plaque Psoriasis PASI Score at initial evaluation (pre-treatment) DLQI Score at initial evaluation (pre-treatment) Percentage of body surface area affected	(mm/dd/yyyy) D: Most recent PASI Most recent DLQI Percentage of body surfation (current):	Score (current):
	Plaque Psoriasis PASI Score at initial evaluation (pre-treatment) DLQI Score at initial evaluation (pre-treatment) Percentage of body surface area affected (pre-treatment):	(mm/dd/yyyy) D: Most recent PASI Most recent DLQI Percentage of body surfation (current):	Score (current):
	Plaque Psoriasis PASI Score at initial evaluation (pre-treatment) DLQI Score at initial evaluation (pre-treatment) Percentage of body surface area affected (pre-treatment): Significant improvement of the lesions:	(mm/dd/yyyy) D: Most recent PASI Most recent DLQI Percentage of body surfation (current):	Score (current):
	Plaque Psoriasis PASI Score at initial evaluation (pre-treatment) DLQI Score at initial evaluation (pre-treatment) Percentage of body surface area affected (pre-treatment): Significant improvement of the lesions: Ye Crohn's Disease	(mm/dd/yyyy) D: Most recent PASI Most recent DLQI Percentage of body surfation (current): Sign No	Score (current):
	Plaque Psoriasis PASI Score at initial evaluation (pre-treatment) DLQI Score at initial evaluation (pre-treatment) Percentage of body surface area affected (pre-treatment): Significant improvement of the lesions: Yes Crohn's Disease For Crohn disease in adults:	(mm/dd/yyyy) D: Most recent PASI Most recent DLQI Percentage of body surfa (current): Per	Score (current): ce area affected %
	Plaque Psoriasis PASI Score at initial evaluation (pre-treatment) DLQI Score at initial evaluation (pre-treatment) Percentage of body surface area affected (pre-treatment): Significant improvement of the lesions: Yes Crohn's Disease For Crohn disease in adults: HBI Score at initial evaluation (pre-treatment):	(mm/dd/yyyy) D: Most recent PASI Most recent DLQI Percentage of body surfa (current): Per	Score (current): % ce area affected % (current) :

_	SPECIALTY DRUG INFORMATION me of patient:		Date of Birth :
	licy Number:		
3C	Renewal Request (cont'd)		
6.	Ulcerative Colitis		
	Medical assessment	Result at initial evaluation	Result at most recent evaluation
	Mayo Score:		
	Partial Mayo Score ¹ :		
	Rectal bleeding subscore (Mayo Score):		
L	Endoscopic subscore (Mayo Score):		
	¹ Mayo score form which the endoscopic subscore is substra	icted	
	Has the partial Mayo score been maintained o	lower? 🗌 Yes 🔲 No	
	Has there been improvement in stool frequence	y or rectal bleeding? 🔲 Yes 🔲 No	
7.	Juvenile Idiopathic Arthritis		
Number of articulations with active synovitis at initial evaluation (pre-treatment): synovitis at most recent evaluation:			
	Other items, if initially measured	Initial Result	Most recent result
	C-reactive protein value (mg/L):		
	Sedimentation rate value (mm/h):		
	Score in the Childhood Health Assessment Questionnaire (CHAQ):		
	Number of affected joints with limitation of movement:		
_	Improvement noted in the overall assessment	(visual analogue scale) by:	cian ☐ the patient ☐ the parent%
	Back to school, if applicable (date):	☐ No ()	
3D	Additional Information		
	Please indicate any additional information pe	rtaining to this request	





First Name:	Last Name:	Permit Number:
Specialty:		
Clinic Name:		
Address:		Suite:
City:	Province:	Postal Code:
E-mail:	Telephone:	Fax:
Signature:		Date:
		(mm/dd/yyyy)

Residents of All Other Provinces
PO BOX 220, MONCTON (NB) E1C 8L3
TEL.: 1-800-667-4511 FAX: 1-844-661-2640

No.