

## i

## PROCEDURES FOR PRIOR AUTHORIZATION

Completed forms can be faxed in confidence to 1-514-286-8480 for residents of Quebec and 1-844-661-2640 for residents of all other provinces

Upon receipt, this request will be confidentially reviewed according to payment criteria developed by Medavie Blue Cross in consultation with independent health care consultants. In some cases, additional clinical or diagnostic information may be required to process your claim.

For Quebec residents, the criteria for prior authorization are adjusted to meet the requirements of the Régie de l'assurance maladie du Québec (RAMQ).

- Prior Authorization is a pre-approval process to determine if certain products will be reimbursed under a member's benefit plan.
- Please complete entire form. Incomplete forms cannot be processed.
- For certain medications, approval for reimbursement may be conditional on confirmation of enrollment in the patient support program.
- Prior Authorization may be limited to a specified period or quantity of medication.
   Some Medavie Blue Cross plans may require you to purchase a drug requiring prior authorization from a preferred pharmacy\*. If your prior authorization request is approved, a case manager may contact you, your physician, or Patient Assistance Program to provide information about the program and to arrange to have your prescription transferred to the preferred pharmacy.
  - \*Not applicable in Quebec.
- In cases where a request for Prior Authorization is declined, Medavie Blue Cross is denying payment for a product and is not challenging the medical opinion of the physician nor rendering a medical opinion.
- Any costs associated with the completion of this form or obtainment of additional medical information are the responsibility of the member.
- Renewal of the Prior Authorization will be considered by Medavie Blue Cross upon request from the patient/member. The renewal request should include information from the physician supporting continued use of the medication.
- Prior Authorization coverage is contingent on your continued status as a Medavie Blue Cross cardholder or beneficiary.
- If this is a request under the *Mesure du patient d'exception* for a Quebec resident, please include a completed *Patient d'exception* form that can be found here: <a href="www.medaviebc.ca/en/resources">www.medaviebc.ca/en/resources</a>, in addition to this document.
- If you would like more information about our Patient First Network, including how your Patient Support Program can become integrated with our new enhanced Prior Authorization processes, please send an e-mail to: patientfirstnetwork@medavie.bluecross.ca.

ee of





1 PHARMACY INFORMATION	
This section is to be completed by the Professional coordinating the re Pharmacy)	quest on behalf of the member (PSP, Cancer Care Navigator or
Decision communication preference:	Telephone, Number:
Name of Program/Pharmacy:	
Contact Name:	Contact E-mail:
2 PATIENT INFORMATION	
Part A	
Patient Name:	Date of Birth:
E-mail address of patient (or of legal guardian if patient is underage):	(mm/dd/yyyy)
Address:	Suite: City:
Province: Postal Code:	Telephone Number:
Policy Number: ID Number:	
Do you have valid Medicare coverage in your current province of residence?	☐ Yes ☐ No
Have you already purchased this prescription?	☐ Yes ☐ No
Please attach your paid-in-full receipt with this request form. If you have alre your receipt to Medavie Blue Cross, please indicate the date of the oldest receipt to Medavie Blue Cross, please indicate the date of the oldest receipt to Medavie Blue Cross, please indicate the date of the oldest receipt to Medavie Blue Cross, please indicate the date of the oldest receipt to Medavie Blue Cross, please indicate the date of the oldest receipt to Medavie Blue Cross, please indicate the date of the oldest receipt to Medavie Blue Cross, please indicate the date of the oldest receipt to Medavie Blue Cross, please indicate the date of the oldest receipt to Medavie Blue Cross, please indicate the date of the oldest receipt to Medavie Blue Cross, please indicate the date of the oldest receipt to Medavie Blue Cross, please indicate the date of the oldest receipt to Medavie Blue Cross, please indicate the date of the oldest receipt to Medavie Blue Cross, please indicate the date of the oldest receipt to Medavie Blue Cross, please indicate the date of the oldest receipt to Medavie Blue Cross, please indicate the date of the oldest receipt to the oldest receipt	
Part B – Coordination of Benefits	
Do you or any dependant have coverage for this drug under any other plan	or program?
Policy Number:	Carrier:
(If applicable, please attach Explanation of Benefits from prior carrier with complete for	m)
If the patient is a dependent, provide the birth day and month of the cardhold	ler for the other carrier:(mm/dd)
Public-Funded Program – Have you applied for coverage through a public-fu	
If No, please indicate why:	
Part C – Authorization	
	d and used by Medavie Blue Cross to administer the terms of my policy or the ducts and services that I am eligible for as a member of a policy, and other nent at www.medaviebc.ca.
released to following third parties as required for the purposes of administe	ch as claim, health and/or financial related data may be collected from and/or tring and managing the benefits outlined in the policy of which I am an eligible surance companies, regulatory authorities and investigative bodies, services nt.
Where allowed by law, my information may be shared with Medavie Blue collected. If I am a resident of Quebec, this includes transferring or disciproviders outside of that province.	Cross employees or service providers in jurisdictions other than where it was osing my personal information to Medavie Blue Cross employees or service
I understand that my consent is only valid for the time it is needed to achieve my consent at any time. However, in some instances doing so may preven may be useful to me and/or my dependents. This consent complies with federal consent	the purposes outlined herein, unless I withdraw it. I understand I may withdraw t Medavie Blue Cross from providing me with certain products or services that eral and provincial privacy laws.
For more details about our information practices, including how your persor you have concerns or questions, please see our Medavie Blue Cross Privacy	nal information is protected, how to access or correct personal information, or if y Statement available at <a href="https://www.medaviebc.ca">www.medaviebc.ca</a> or call 1-800-667-4511.
Signature of Patient:	<b>Date:</b>

Residents of All Other Provinces
PO BOX 220, MONCTON (NB) E1C 8L3
TEL.: 1-800-667-4511 FAX: 1-844-661-2640

Residents of Quebec PO BOX 3300, STATION B, MONTREAL (QC) H3B 4Y5 TEL.: 1-888-588-1212 FAX: 1-514-286-8480



3 SPECIALTY DRUG INFORM	ATION			
Name of patient:				Date of Birth:
Policy Number:				
E-mail address of patient or of lega	al guardian if patien	t is underage:		
3A Patient Support Program (PS	SP) Enrollment			
Is patient enrolled in the Patient Sup	oport Program?	No ☐ Yes, specit	y Program ID #:	
Indicate the name of the Patient Su				
PSP phone #:			PSP Fax #:	
Product Name	Strength	Dosage		Diagnosis
COSENTYX (SECUKINUMAB)				
Date of diagnosis:	dd/aaa)	Expected of	duration of treatment:	
Was treatment initiated in hospital		Indicate if	the disease or injury is	s work related: Yes No
Where is the drug administered?				
Indicate the specialty of the physic	cian who initiated or	recommended the t	reatment·	
Is the patient currently on, or previ	ously been on this o	drug? 🗌 No 🔲 Y	es, indicate the treatn	nent start date:
				(птиалуууу)
(if not Medavie Blue Cross, plea	ase provide a pharmad	cy receipt showing pure	chase of this drug)	
For Initial Request, please compl	ete sections 3B an	d 3D. For Renewal	s, please complete s	sections 3C and 3D.
3B Initial Request				
				indications. The information for the on the contraindication if applicable.
<ul> <li>apremilast, Siliq, Skyrizi, ustekir</li> <li>Ankylosing spondylitis: NSAIDs infliximab, Simponi, Taltz, Bimze</li> <li>Psoriatic arthritis: NSAIDs, DMA adalimumab, infliximab, apremil</li> </ul>	numab, Taltz, Tremfy, , DMARDs (methotre elx, Rinvoq, tofacitini RDs (methotrexate, o ast, Simponi, ustekin AIDs, DMARDs (meth	a, llumya, Bimzelx, C xate, sulfasalazine, le b, Cosentyx) cyclosporine, sulfasa numab, Taltz, tofacitir	osentyx) eflunomide), advanced lazine, leflunomide), a nib, Cosentyx, Tremfya	nercept, Cimzia, adalimumab, infliximab, treatments (etanercept, Cimzia, adalimumab, dvanced treatments (etanercept, Cimzia, , Orencia, Skyrizi, Bimzelx, Rinvoq) its (tocilizumab, adalimumab, etanercept,
Product Name	Dosage	Start Date (mm/dd/yyyy)	End Date (mm/dd/yyyy)	Response to Treatment or Contraindication
Is the drug being prescribed according *NOTE: Do not provide genetic test results.	ults.	h Canada product	monograph? 🗌 Ye	s 🗌 No
Approved indications from Health C				
Moderate to severe chronic	plaque psoriasis			
→ PASI score:	→ DLQI score:	→ Pe	ercentage of body sur	face area (BSA) involvement: %
Presence of large plaques (loc	ation):			

Policy Number: ID Number: E-mail address of patient or of legal guardian if patient is underage:  BB Initial Request (cont'd)  1. Moderate to severe chronic plaque psoriasis (cont'd)  Is phototherapy treatment indicated and accessible?		SPECIALTY DRUG INFORMATION
E-mail address of patient or of legal guardian if patient is underage:    B		
Initial Request (cont'd)  1. Moderate to severe chronic plaque psoriasis (cont'd) Is phototherapy treatment indicated and accessible?   Yes   No   Failure to phototherapy:   Yes   No   Number of sessions:   Duration of treatment:   months   Indicate why the phototherapy treatment had to be stopped:    2. Moderate to severe ankylosing spondylitis   Axial ankylosing spondylitis   Non-radiographic axial spondyloarthritis    3. BASDAI score (date):   (		·
Is phototherapy treatment indicated and accessible?	_	
Failure to phototherapy:	1.	. Moderate to severe chronic plaque psoriasis (cont'd)
2. Moderate to severe ankylosing spondylitis    Peripheral ankylosing spondylitis		Is phototherapy treatment indicated and accessible? ☐ Yes ☐ No
2. Moderate to severe ankylosing spondylitis    Peripheral ankylosing spondylitis		Failure to phototherapy:  Yes No Number of sessions: Duration of treatment: months
Peripheral ankylosing spondylitis Axial ankylosing spondylitis Non-radiographic axial spondyloarthritis   → BASDAI score (date): (		Indicate why the phototherapy treatment had to be stopped:
→ BASDAI score (date): (	2.	. Moderate to severe ankylosing spondylitis
→ HAQ score:  Does the patient exhibit uveitis?		☐ Peripheral ankylosing spondylitis ☐ Axial ankylosing spondylitis ☐ Non-radiographic axial spondyloarthritis
→ HAQ score:  Does the patient exhibit uveitis?		→ BASDAI score (date): (
3. Moderate to severe psoriatic arthritis  Rheumatoid type		
3. Moderate to severe psoriatic arthritis    Rheumatoid type		Does the patient exhibit uveitis? ☐ Yes ☐ No
Presence of radiologically measured erosions:	3.	☐ Rheumatoid type ☐ Type other than rheumatoid
Confirm all that apply (before starting treatment):  □ Number of articulations with active synovitis: □ An elevated sedimentation rate. Specify: mm/h □ An elevated C-reactive protein level. Specify: mg/L □ HAQ score: □ BASDAI score (date): (		☐ Peripheral psoriatic artiflus ☐ Axial psoriatic artiflus
Number of articulations with active synovitis:		
□ An elevated sedimentation rate. Specify: mm/h   □ An elevated C-reactive protein level. Specify: mg/L   □ HAQ score:   □ BASDAI score (date): (		Presence of radiologically measured erosions:
□ An elevated C-reactive protein level. Specify: mg/L   □ HAQ score:   □ BASDAI score (date): (		
☐ HAQ score: (		Confirm all that apply (before starting treatment):
□ BASDAI score (date): (		Confirm all that apply (before starting treatment):  Number of articulations with active synovitis:
Does the patient also have moderate to severe psoriasis? ☐ Yes ☐ No  ☐ Yes, please specify the following:		Confirm all that apply (before starting treatment):  Number of articulations with active synovitis:  An elevated sedimentation rate. Specify: mm/h
		Confirm all that apply (before starting treatment):  Number of articulations with active synovitis:  An elevated sedimentation rate. Specify: mm/h  An elevated C-reactive protein level. Specify: mg/L
→ PASI score: %		Confirm all that apply (before starting treatment):  Number of articulations with active synovitis:  An elevated sedimentation rate. Specify: mm/h  An elevated C-reactive protein level. Specify: mg/L  HAQ score:
		Confirm all that apply (before starting treatment):  Number of articulations with active synovitis: An elevated sedimentation rate. Specify: mm/h  An elevated C-reactive protein level. Specify: mg/L  HAQ score: BASDAI score (date): (

3	SPECIALTY DRUG INFORMATION		
		ID Number:	
E-I	mail address of patient or of legal guardian if p	patient is underage:	
3B	Initial Request (cont'd)		
4.	Juvenile idiopathic arthritis		
	Diagnosis:	RA)	Specify:
	→ Number of active joints:	→ Number of active enthesitis sit	res:
	Does the patient have axial disease?	s 🗌 No	
5.	Hidradenitis suppurativa		
	→ Total abscess and nodule count:		
	Does the patient present with lesions in at lea	ast two distinct anatomical areas?	No
	→ If yes, is any of these areas affected at	Hurley stage II or III? ☐ Yes ☐ No	
			atment.  It evaluation:(mm/dd/yyyy)
		Result at initial evaluation	Result at most recent evaluation
Ī	PASI score:		
ŀ	DLQI score:		
	Percentage of body surface area (BSA) involvement (%):		
	Significant improvement of the lesions on the	e body: ☐ Yes ☐ No	
	For a request to increase the monthly dosage	e to 300 mg*:	
	→ Patient weight:	□ kg	
	Has the patient already been treated with a n	nonthly dose of 150 mg of Cosentyx?	□ No
	☐ If yes, please indicate the duration (in w	veeks) during which the patient received this do	sage: weeks
	*For a patient aged 18 years or older, please also	complete the treatment history table located at the be	ginning of section 3B.

3	SPECIALTY DRUG INFORMATION		
	ame of patient:		
	olicy Number: mail address of patient or of legal guardian if p		
	Thail address of patient of of legal guardian if p	allerit is underage.	
3C	Renewal Request (cont'd)		
2.	Moderate to severe ankylosing spondylit	iis	
	☐ Peripheral ankylosing spondylitis	☐ Axial ankylosing spondylitis	☐ Non-radiographic axial spondyloarthritis
		Result at initial evaluation	Result at most recent evaluation
	BASDAI score:		
	BASFI score:		
	HAQ score:		
	Return to work, if applicable (date): Yes	□ No ()	
	For a request to increase the monthly dosage		
	Has the patient already been treated with a m	nonthly dose of 150 mg of Cosentyx?	□No
		reeks) during which the patient received this do	
	, , , , , , , , , , , , , , , , , ,	,g	
3.	Moderate to severe psoriatic arthritis		
		Result at initial evaluation	Result at most recent evaluation
	Number of articulations with active synovitis:		
	C-reactive protein level (mg/L):		
	Sedimentation rate (mm/h):		
	HAQ score:		
	BASDAI score:		
	ACR score:		
	Return to work, if applicable (date): Yes	□ No. ( )	
	retain to work, if applicable (date).	(mm/dd/yyyy)	
4.	Juvenile idiopathic arthritis		
	Most recent JIA ACR score:		
	MIOST IEGETT SIA ACT SCORE.		

3	SPECIALTY DRUG INFORMATION		
Na	ame of patient:		Date of Birth:
Po	olicy Number:	ID Number:	
<u></u> E-	mail address of patient or of legal guardian if pat	tient is underage:	
3C	Renewal Request (cont'd)		
5.	Hidradenitis suppurativa		
		Result at initial evaluation	Result at most recent evaluation
	Number of lesions:		
	Has there been an increase in fistulas or draina	age compared to baseline?	
	Other clinical data demonstrating the beneficial	effects of the treatment:	
3D	Additional Information		
Г	Please indicate any additional information pe	rtaining to this request.	
L			





First Name:	Last Name:	Permit Number:
Specialty:		
Clinic Name:		
Address:		Suite:
City:	Province:	Postal Code:
E-mail:	Telephone:	Fax:
Signature:		Date:
		(mm/dd/yyyy)

Residents of All Other Provinces
PO BOX 220, MONCTON (NB) E1C 8L3
TEL.: 1-800-667-4511 FAX: 1-844-661-2640

No.